

The logo consists of the letters 'CB' in a bold, italicized, sans-serif font. The 'C' and 'B' are connected at the top. The background of the entire page is a photograph of a construction site with concrete blocks and a worker, overlaid with a large blue geometric shape on the left side.

CAROLINA

SISTEMAS CONSTRUCTIVOS

**ADOQUINADO EN CONCRETO
Y MUROS DE CONTENCIÓN**


www.carolinablock.com.mx

ANTECEDENTE


El concepto de pavimento de concreto intertrabado se remonta a los caminos del imperio romano.



Actualmente se coloca
400 Millones M2.




San Antonio Texas El mundialmente
famoso centro histórico **“River Walk”**



“PUEBLO MÁGICO”

Villa de ahome pavimentación
de adoquin de concreto.






**SAN CARLOS NUEVO
GUAYMAS SONORA 1994.**

ADOQUIN DE 350 KG/CMK2 SOBRE
BASE GRANULAR.

**SAN CARLOS NUEVO
GUAYMAS SONORA 2014.**

ADOQUIN DE 350 KGM2 SOBRE
SUBASE DE PIEDRA
CON FINOS COHESIVOS.






DISTINTOS SISTEMAS

VENTAJAS


- Doble Sistema
- Concreto por resistencia, asfalto por flexible
- No se espera el graguado a 28 días para resistencias
- No hay grietas por contracción
- No se destruye para hacer reparaciones

INSTALACIÓN

- Manual
- Con maquinaria muy avanzada para rapidez



SISTEMA INTERTRABADO



ADOQUINES EN LA SUSTENTABILIDAD





Figure 1. Typical components of an interlocking concrete pavement system.

